

# INDIAN JOURNAL OF ENTOMOLOGY

VOLUME 85

PART 2

JUNE 2023




Fig. 1-5 *Acanthocoris scabrator*: 1. Syntype (Natural History Museum, London), 2. Mass of eggs and hatched out egg shells, 3. early instar nymphs, 4. nymphs congregated for feeding, 5. adult  
For details see page No. 472 of this issue



Published by

The Entomological Society of India

**Indian Journal of Entomology****Vol. 85****June 2023****Part 2****CONTENTS****Research Article**

1. MUSLIM ASHOR AL-ETBY AND HUSIEN ALI AL-AMERY, Biology and morphology of *Lampetis mimosae* (Buprestidae, Coleoptera) from Iraq 293
2. RABINDRA HAZARIKA, Use of aquatic insects to assess the biological status of a perennial pond in Assam, Northeast India 297
3. S CHAKRAVORTY, TIMMANNA, L MURALIKRISHNAN AND ROHIT RANA, Pest management modules for basmati rice and farmer's perception 303
4. RASHMI NAUTIYAL AND SUDHIR SINGH, Records of Encyrtidae from Uttarakhand with redescription of *Rhytidothorax aeriscutellum* (Girault) 308
5. MANOJ KUMAR ARYA AND AARTI BADONI, Insect pollinator assemblage on temperate fruit crops in Kumaun Himalaya 315
6. EKTA JAIN AND NISHA VASHISHAT, Toxicity of acephate to liver and kidney of female wistar rats 322
7. KELAGERI S S, MAHAPATRO G K, SUBRAMANIAN S, CHITRA SRIVASTAVA AND RAJNA S, Relative susceptibility of life stages of cotton whitefly *Bemisia tabaci* (Genn.) to pyriproxyfen 327
8. ATANU MAJI, SUPRAKASH PAL, BIWASH GURUNG, MOULITA CHATTERJEE AND SHYAMAL KUMAR SAHOO, Diversity of aphids and their predatory coccinellids from West Bengal 332
9. NEERAJ SHARMA, KOUSIK MANDAL, GAGAN JYOT AND BALWINDER SINGH, Estimation of residues of flubendiamide and deltamethrin in chickpea 337
10. PRERNA SOOD, Imidacloprid induced reproductive toxicity in female albino rats 343
11. M RANJITH, C M KALLESWARASWAMY, K J MEGHANA, SHARANABASAPPA S DESHMUKH, B K SHIVANNA, K M SATISH AND B C DHANANJAYA, New records of *Euhamitermes* Holmgren from South India 348
12. NAVEENA K, SHANTHI M, CHINNIAN C, JAYARAJ J, RAMASUBRAMANIAN T, MINI M L AND RENUKA R, Acaricide resistance in field-collected two-spotted spider mite *Tetranychus urticae* Koch 354
13. S V DHARINI AND N CHITRA, Diagnostics of the Tettigoniid genus *Conocephalus* occurring in the rice fields 359
14. DEVENDRA KUMAR MEENA, NIRAJ S SATPUTE, ADIMULAM VIJAY KUMAR AND KANCHAN DIGAMBAR MARWADE, Kairomonal effect of scales from *Earias vitella* F. and *Corcyra chephalonica* Stainton on biology of *Trichogramma chilonis* (Ishii) 367
15. REKHA, DEEPIKA GOSWAMI, DEEKSHA ARYA AND B R KAUSHAL, Insects diversity in an agroecosystem of Bhabar region of Uttarakhand 372
16. J POORANI, A MOHANASUNDARAM AND R THANIGAIRAJ, Natural enemies of *Pentalonia nigronervosa* Coquerel, a vector of bunchy top of banana and biology of its most effective predator *Scymnus nubilus* Mulsant 381

## Research Communication

17. PRABHULINGA TENGURI, SUBHASH CHANDER, SURESH NEBAPURE, ARYA P S, MADHU T N AND YOGESH YELE, Effect of silicon amendment on herbivore induced plant volatiles of rice plant infested by brown planthopper *Nilaparvata lugens* (Stål) 385
18. RASHMI JOSHI, NEETA GAUR AND SUDHA MATHPAL, Distribution of *Spodoptera litura* (F) in Uttarakhand 389
19. SHANKARA MURTHY M, PRABHURAJ A AND BHEEMANNA M, Occurrence of tea mosquito bug *Helopeltis antonii* Signoret on neem in northern Karnataka 393
20. APARNA SURESHCHANDRA KALAWATE AND PRACHEE SURWADE, Little bear moth of the genus *Phykodes rindsberg* (Lepidoptera: Brachodidae): a lesser-known and new pest from the Western Ghats of India 396
21. RAJASHEKHARAPPA K, AMBARISH S, RAMESH M MARADI AND ONKARAPPA S, Efficacy of acaricides against red spider mite *Tetranychus urticae* infesting yard long bean 400
22. SUBHAKANTA NAIK, ARUNDHATI SASMAL, ASHOK MISHRA AND ANJAN KUMAR NAYAK, Efficacy of diafenthiuron against *Empoasca fabae* (Harris) in potato 403
23. SANTHOSH GOUD, SUBASINI PATNAIK, PRIYANKA DASH, IPSITA BISWAL, JAYA KISHOR SETH, RUPENANGSHU KUMAR HAZRA AND BARSALINI PANDA, New record of mosquito *Coquillettidia xanthogaster* (Edwards) from India 407
24. LAKSHMI SIREESHA E T, RAMESH BABU T AND KOTESWARA RAO S R, Morphometrics of tomato pin worm *Tuta absoluta* Meyrick on different host plants 410
25. K SRINIVAS, M RAGHURAMAN AND ANIL KUMAR S T, Evaluation of flonicamid against rice ear head bug *Leptocorisa acuta* (Thunberg) 413
26. NILUTPAL SAIKIA AND ROSHMI BORAH DUTTA, Sucking pests and their natural enemies in mulberry 416
27. N U VISAKH AND SHANTANU JHA, Bionomics of oriental fruit fly *Bactrocera dorsalis* (Hendel) on guava 419
28. BHANUPRIYA, NIDHI KAKKAR, SANJEEV K. GUPTA, A new record of termite *Coptotermes emersoni* Ahmed 423
29. ZUHAIB FAROOQ, MOHD. AYOUB MANTOO, MUNAZAH YAQOUB, LIYAQAT AYOUB, SHEIKH SALMA IRSHAD, TAUSEEF AHMAD BHAT, FEHIM JEELANI WANI, ISHFAQ MAJEED SHAH AND SHOWKAT AHMAD SHEIKH, Population dynamics of *Helicoverpa armigera* on soybean 426
30. MANEESH PAL SINGH, DIVENDER GUPTA AND ISHA SHARMA, New distribution records of *Bactrocera* spp. from Himachal Pradesh 428
31. R ARAVINTHARAJ AND R ASOKAN, Thrips vectors of tospoviruses on tomato in South India 430
32. U PIRITHIRAJ, R P SOUNDARARAJAN AND C GAILCE LEO JUSTIN, Seasonal incidence of major insect pests of jasmine *Jasminum sambac* 435
33. RAJESH KUMAR PATEL, VANDANA CHADAR, N C MANDAWI AND Y P S NIRALA, Bionomics of *Cryptophlebia ombrodelta* lower a major pest of Tamarind 439
34. SELVAKUMARI G, B USHA RANI, K SURESH, G ANAND AND M SHANTHI, Diversity of insect pollinators on sesame 441
35. V YAMINI PRAKASHINI, G SRINIVASAN, M SHANTHI AND K PRABAKARAN, Preference of red flour beetle *Tribolium castaneum* (Herbst) towards colour cues 445
36. J POORANI AND R THANIGAIRAJ, Incidence of mango stem miner *Spulerina isonoma* (Meyrick) and first record of its parasitoid 448
37. M SATHIYASEELAN, J JAYARAJ, M SHANTHI AND K SUJATHA, Behavioural response of stored product insects to light and bait sources in paddy storage godown 451

38. SRUTHI A B, ZADDA KAVITHA, M SHANTHI AND A BEAULAH, Role of protein and food baits in attraction of melon fruit fly <i>Zeugodacus cucurbitae</i> in bitter gourd	455
39. DARSHAN R AND PRASANNA P M, Seasonal incidence of fall army worm <i>Spodoptera frugiperda</i> in maize	459
40. SANDIP PATRA, RACHNA PANDE, RUMKI H. CH. SANGMA, PANKAJ BAIWAR AND BIJOYA BHATTACHARJEE, Management of <i>Chilo partellus</i> Swinhoe and <i>Stenachroia elongella</i> Hampson in midhills of Meghalaya	462
41. AVINASH CHAUHAN AND H K SINGH, An attempt to explore bumble bees in Nagaland	465
42. SUJITHRA M, SHASHANK P R, SANTHOSH NAIK AND RAJKUMAR M, Outbreak of defoliator <i>Coconympha iriarcha</i> Meyrick on coconut	469
43. K M SHAMEEM, S R HIREMATH AND K D PRATHAPAN, First report of <i>Acanthocoris scabrator</i> (Coreidae) as a pest of vegetables in India	473
44. M ALAGAR, T SRINIVASAN, K RAJAMANICKAM, A JOSEPHRAJKUMAR, A YASMIN, S CHINNADURAI, V SIVAKUMAR, S PRANEETHA AND H P MAHESWARAPPA, Efficacy of botanical formulations against coconut rhinoceros beetle <i>Oryctes rhinoceros</i>	476
45. M AMUTHA, Efficacy of coloured sticky traps against thrips in cotton	480
46. SINGH H S, GUNDAPPA BARADEVANAL AND DHARM BEER, Evaluation of insecticides and suitable trap containers for effective fruit fly catches	483
47. NADEYA KHALIQ, UMA SHANKAR AND BASHIR AHMAD RATHER, Seasonal incidence of whitefly <i>Bemisia tabaci</i> (Genn.) on mungbean	487
48. K ARAVINTHRAJU, K SURESH, S MANISEGARAN AND C RAJAMANICKAM, Study on varietal preference of tea mosquito bug <i>Helopeltis antonii</i> Signoret in guava	490
49. BANKA KANDA KISHORE REDDY, K BHUVANESWARI, M PARAMASIVAM, A SUGANTHI, P GEETHA, Persistence and degradation behaviour of dimethoate in grapes	492
50. AMITA HAJRA, SHUVRA KANTI SINHA AND SANTANU MAHATO, A preliminary survey of ectoparasites in Neora Valley National Park, West Bengal	497
51. D S MEENA, V S ACHARYA, K MEHRA, V S RAJPUT AND A K YADAV, Screening of bottle gourd genotypes against fruit flies <i>Bactrocera cucurbitae</i> (Coquillett)	500
<b>Review</b>	
52. S MANIKANDAN, A MATHIVANAN, BHAGYASHREE BORA, P HEMALADKSHMI, V ABHISUBESH AND S POOPATHI, A review on vector borne disease transmission: current strategies of mosquito vector control	503
53. PRAVAS HAZARI, SHUVRA KANTI SINHA, NANDAN JANA, AMITA HAJRA AND SANTANU MAHATO, Muscidae (Diptera)- a historical perspective	514

---

Indian Journal of Entomology is now open access and its website is [indianentomology.org](http://indianentomology.org) which has all details required for a Journal's website. The journal is online at [indianjournals.com](http://indianjournals.com). It is listed in Clarivate Analytics/ Web of Science Masterlist, and UGC and NAAS. The papers published in this journal are selectively abstracted/ indexed in Zoological Record; CAB Abstracts, CAB International, Wallingford, U.K; also CrossRef, Agricola, Google Scholar, CNKI Scholar, ICI, Indian Science, and Indian Citation Index. Also indexed in Electronic Magazine library, Max Planck Institute for Bildungsforschung, Berlin; and EBSCOhost global library database, USA. It is UGC approved. Each paper bears a doi number to facilitate online identity and access. The journal articles are also subjected to JATS Conversion from 2019 onwards.

---



## FIRST REPORT OF *ACANTHOCORIS SCABRATOR* (COREIDAE) AS A PEST OF VEGETABLES IN INDIA

K M SHAMEEM, S R HIREMATH<sup>1</sup>& AND K D PRATHAPAN<sup>1\*</sup>

Department of Zoology, Government College Chittur, Chittur, Palakkad 678104, Kerala, India

<sup>1</sup>Department of Agricultural Entomology, Kerala Agricultural University,  
Vellayani PO, Trivandrum 695522, Kerala, India

&Present address: Department of Agricultural Entomology, Karunya Institute of Technology and Sciences,  
Karunya Nagar, Coimbatore, Tamil Nadu- 641114, India

\*Email: prathapankd@gmail.com (corresponding author): ORCID ID: 0000-0001-8493-1555

### ABSTRACT

In this study, a coreid bug *Acanthocoris scabrator* (Heteroptera: Coreidae) is reported as a pest of *Capsicum annum*, *C. frutescens*, *Ipomoea aquatica*, *I. batatas* and *Solanum melongena* from Kerala, India. No acute symptoms such as drying up or wilting was observed either on *Solanum melongena* or *Capsicum* spp.; however, on *I. aquatica* and *I. batatas*, water-soaked lesions were observed around the feeding punctures on the tender stem. This is a new record of this pest from Andaman and Nicobar Islands.

**Key words:** *Acanthocoris scabrator*, Coreidae, host plants, *Capsicum annum*, *Capsicum frutescens*, *Ipomoea aquatica*, *Ipomoea batatas*, *Solanum melongena*, Andaman Islands, new record, Kerala, vegetables, pest

*Acanthocoris scabrator* (Heteroptera: Coreidae) was described by Fabricius in 1803 based on specimens from Malaysia and Sumatra. It is widely distributed in the Oriental region and adjoining areas such as Sri Lanka, India, Myanmar, Malaysia, Indonesia, the Philippines, south China and Japan (Distant, 1902; Hoffman, 1928; Dolling, 2006). Dolling (2006) opined that “records of *Acanthocoris scabrator* from China are possibly erroneous and referable to *Acanthocoris scaber* if the species are truly distinct.” Plants reported as host for *A. scabrator* include *Punica granatum* L. in Japan (Hoffman, 1928); *Capsicum annum* L., *Capsicum* sp., *Cestrum nocturnum* L., *Cucurbita maxima* Duschesne, *Ipomoea* sp. (morning glory), *Physalis peruviana* L., *Solanum melongena* L., *Solanum nigrum* L. and *S. torvum* in China (Hoffman, 1931); *S. aculeatissifolium* Jack (?*Solanum aculeatissimum* Jacq.) (Miller, 1931), *I. palmata* Forsk., *I. batatas* Lam. (Miller, 1931, 1932) and *Vigna unguiculata* (L.) Walp. (Cowpea) (Miller, 1932) in Malaysia; and *Lantana* (Rao, 1920), *I. carnea* Jacq. and *Mangifera indica* L. (Koshy et al., 1977, 1978) in India. Biology of the insect was studied by Hoffman (1928) in China, Miller (1931) in Malaysia and Koshy et al. (1977) in India. Herein, this coreid is reported as a pest on vegetables from Kerala for the first time in India.

### MATERIALS AND METHODS

Infestation of *A. scabrator* on different species of vegetables was observed by the first author in 2012 in

Kerala, India. The insect was identified based on the description provided by Distant (1902). This was further confirmed based on the images of a syntype. Specimens of *A. scabrator* were collected from different states in mainland India as well as the Andaman & Nicobar Islands. Symptoms and nature of damage due to the pest were recorded on different vegetable crops. Intensity of infestation was recorded on *Capsicum annum* at Manacaud, Trivandrum, Kerala in 2020. Voucher specimens of the bug are deposited in the Travancore Insect Collection, College of Agriculture, Vellayani, University of Agricultural Sciences, Bengaluru (UASB) and the National Bureau of Agriculturally Important Insects (NBAIR), Bengaluru (Accession no. NBAIR/HET-COR/5121 to NBAIR/HET-COR/5125). Plant vouchers of *C. annum* (Accession no. 6761), *C. frutescens* L. (Accession no. 6760), *I. aquatica* Forssk. (Accession no. 7017, 7018) and *S. torvum* (Accession no. 6473) are deposited in the Calicut University Herbarium.

### RESULTS AND DISCUSSION


Infestation of *A. scabrator* was observed on brinjal *S. melongena*, chilli *C. annum*, Tabasco Pepper (Cayenne pepper) *C. frutescens* L., sweet potato *I. batatas* and water spinach *I. aquatica* in Kerala, south India. Infestation on *C. annum* and *C. frutescens* has been noticed at Tirurangadi (N 11° 02' 14.3" E 75° 55' 27.8"), Kerala since 2012. Heavy population of the bug was

observed on brinjal at Malayinkeezhu in Trivandrum (8° 30' 34.8" N 76° 59' 48.5" E) in April 2018. On 25 May 2020, *A. scabrator* was observed on *C. annuum* at Manacaud in Trivandrum District (N 8° 27' 32.62572" E 76° 56' 51.02664"). Infestation was observed on six plants of *C. annuum* ranging from 5 to 27 adults and nymphs (mean 15.3). The maximum infestation observed on a plant was 9 adults and 18 nymphs. Bugs were also collected on *I. carnea* at Tirurangadi (N 11° 02' 14.3" E 75° 55' 27.8") and on *S. torvum* Sw. at Pampadumpara (N 09° 48' 23.7" E 77° 10' 04.9"). The bug was observed breeding on *I. batatas* and *I. aquatica* at Vellayani (N 08° 25' 47.5" E 76° 59' 8.3"). A single specimen was collected in the Little Andaman Island, Andaman and Nicobar Islands (N 10° 41' 47.0", E 92° 33' 25.8" 56 m). Specimens have also been collected from Karnataka in South India and Arunachal Pradesh and Manipur in northeast India.

Adults and nymphs congregated on the stem and sucked sap. (Fig. 1-5). Apparently, no acute symptom, such as drying up or wilting, was observed on either brinjal or chillies. On *I. aquatica* and *I. batatas*, water-soaked lesions were observed around the feeding punctures on the tender stem. *Acanthocoris scabrator* is

known as a pest of *S. melongena* and *Capsicum annuum* in China and *I. batatas* in Malaysia, however, this is the first report of the bug on these vegetables in India. This is also the first ever record of *A. scabrator* on *C. frutescens*, and *I. aquatica*. Chen (1983) reported the closely related *A. scaber* (L.) on *C. frutescens* in China. Presence of the bug in the Andaman and Nicobar Islands is recorded for the first time.

**Material examined:** India. Kerala: 1♂, 3♀ Vellayani, N 08° 25' 47.5", E 76° 59' 8.3", 27.viii.2018, Prathapan & Sangamesh Coll., Ex *Ipomoea* sp.; 1♀, same data except host *Ipomoea batatas*; 5♂, 9♀ Malayankkeezhu, 8° 30' 34.8" N 76° 59' 48.5" E, 28.iv.2018, SR Hiremath & Prathapan, Ex Brinjal; 2♂, 2♀ same data except host Chilli; 2♂, 2♀ Pampadumpara, 24.x.2015, Prathapan KD Coll., Ex *Solanum torvum*; 1♂ same data except host *Ipomoea*; 1♂, 2♀ same data without host (sweep net); 1♂, 2♀ Chittur, 10° 41' 19.1" N 76° 43' 25.1" E, 15.v.2018 112 m, Shameem KM Coll., Ex *Ipomoea carnea*; 2♂, 1♀ Tirurangadi, 28.ix.2012, Shameem K Coll., Ex Chilli; 2♀ same data except date 19.x.2012; 2♂, 1♀ same data except date 1.xi.2012; 1♀ same data except date 20.xi.2012; 3♂ same data except date 29.xi.2013; 1♀



Figs. 1-5. *Acanthocoris scabrator*. 1. Syntype (Natural History Museum, London), 2. Mass of eggs and hatched out egg shells, 3. early instar nymphs, 4. nymphs congregated for feeding, 5. adult

same data except date and host 13.xii.2012, *Ipomoea* sp.; 2♂, 1♀ Tirurangadi, N 11° 02' 14.3", E 75° 55' 27.8", 14.xii.2014, Prathapan & Shameem Coll., Ex. *Ipomoea carnea*; Karnataka: 1♂ Bangalore, GKVK, N 13°04'36.18" E77°34'41.79", SR Hiremath Coll.; Manipur: 1♂, 1♀ Churachandpur, Ngalo Falls, N 24° 19' 53.7", E 93° 38' 47.7" 1148 m, 18.viii.2014, Prathapan & Shameem Coll.; 1♀ Keibul Lamjao N.P., N 24° 28' 47.4", E 93° 48' 29.7" 774 m, 20.viii.2014, Prathapan & Shameem Coll.; 1♂ Pallel, Saivom, N 24° 23.506', E 94° 05.200' 1387 m, 21.viii.2014, Prathapan & Shameem Coll.; Arunachal Pradesh: 1♀ Kebali, N 28° 11' 56.0", E 95° 48' 48.0", 783 m, 10.ix.2014 Prathapan KD Coll.; Andaman & Nicobar Islands: 1♂ Little Andaman, VK Pur, N 10° 41' 47.0", E 92° 33' 25.8" 56 m, 30.iv.2014, Prathapan KD Coll.

#### ACKNOWLEDGEMENTS

The authors thank Drs Mick Webb, Natural History Museum, London and H M Yeshwanth, University of Agricultural Sciences, Bangalore for the images of a syntype of *A. scabrator*. Anitha N and Anitha I are acknowledged for bringing the incidence of *A. scabrator* in Thiruvananthapuram to notice. A P Balan identified the host plants. Y Ruan, South China Agricultural University, Guangzhou, Guangdong 510642, China provided essential literature.

#### FINANCIAL SUPPORT

This work did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

#### AUTHOR CONTRIBUTION STATEMENT

KMS first observed the pest; collected specimens, made biological observations, preparation of the

manuscript; SRH collected specimens, prepared plate, gathered biological data; writing up of the manuscript; KDP identified the insect, collected specimens, made observations; writing up of the manuscript.

#### CONFLICT OF INTEREST

Authors declare no conflict of interest.

#### REFERENCES

- Chen Z Y. 1983. *Acanthocoris scaber* Linnaeus - a new pest of cayenne pepper. Entomological Knowledge 20.2: 115-116.
- Distant W L. 1902. Rhynchota. Vol. 1. Heteroptera. In: Blanford WT (ed) The fauna of British India, including Ceylon and Burma. Taylor & Francis, London. pp. 1-438.
- Dolling W R. 2006. Family Coreidae Leach, 1815. pp. 43-101. Aukema B, Rieger C (eds.). Catalogue of Heteroptera of the Palaearctic Region, 5. The Netherlands Entomological Society, Amsterdam, The Netherlands. 550 pp.
- Fabricius J C. 1803. Systema rhyngotorum secundum ordines, genera, species, adjectis, synonymis, locis, observationibus, descriptionibus. Brunsvigae, 314 pp.
- Hoffmann W E. 1928. Notes on a Squash Bug of Economic Importance. Lingnan science Journal 3: 281-292.
- Hoffmann W E. 1931. Eradication of nightshade (*Solanum nigrum* L.) as an aid in the control of insects of economic importance in south China. Lingnan science Journal 1: 113-115.
- Koshy G, Visalakshy A, Nair M R G K. 1977. Biology of *Acanthocoris scabrator* Fabr., a pest of mango. Entomon 2(2): 145-147.
- Koshy G, Visalakshy A, Nair M R G K. 1978. *Acanthocoris scabrator* Fabr. a new pest of mango. Current Science 47(4): 129-130.
- Miller N C E. 1931. The Bionomics of some Malayan Rhynchota (Hemiptera-Heteroptera). Department of Agriculture Straits Settlements and Federated Malay States, Scientific Series, 5, pp. 1-142.
- Miller N C E. 1932. A preliminary list of food-plants of some Malayan insects. Bulletin of the Department of Agriculture Straits Settlements and Federated Malay States 38 (supplement), pp. 1-54.
- Rao Y R. 1920. *Lantana* insects in India: being the report of an inquiry into the efficiency of indigenous insect pests as a check on the spread of *Lantana* in India. Memoirs of the Department of Agriculture India, Entomological Series 5: 239-313.

(Manuscript Received: October, 2021; Revised: December, 2021;

Accepted: December, 2021; Online Published: April, 2022)

Online First in [www.entosocindia.org](http://www.entosocindia.org) and [indianentomology.org](http://indianentomology.org) Ref. No. e21215